

## Mind Mood Pain New Ketamine or Spravato Intake

Thank you for your interest in Ketamine Infusion Therapy or SPRAVATO (esketamine) nasal spray for Treatment Resistant Depression. Before we can move forward, we need to collect some basic information. Please complete the survey below, all information will be kept confidential. Our staff will review the information and be in touch with you as soon as possible. We look forward to being part of your care.

Patient Name:		DOB:	: Date:			
Email:		Prim	nary Phone Number:			
Insurance:		ID Number:	Group Number:			
Referred by:		Primary Care	y Care Physician:			
Age:	Weight:lbs	Psychiatrist:	Therapist:			
Would you like u	s to update your mental he	ealth provider after tre	eatment? O Yes O No			
What have you b	een diagnosed with? Plea	se write the date of dia	iagnosis.			
☐ Major De <sub>l</sub>	pressive Disorder:		Generalized Anxiety Disorder:			
☐ Suicidal Id	deation*:		Obsessive Compulsive Disorder:			
	epression:		Post-Traumatic Stress Disorder:			
☐ Premenstrual Dysphoric Disorder:			Other:			
☐ Postpartu	ım Depression:					
			or go to the nearest emergency immediately.			
How did you hea	r about Mind Mood Pain?					
•	taking an oral antidepressy this medication.		nedication, dose, how often you take it and			
Other Medication	ns and Supplements:					
	Name	Dose/Frequency	Reason			



nave you experienced a po	or respoi	ise to c	orar arren	uepressants in t	.ne past:	<del></del>
Have you experienced into	lerable si	de effe	cts to ar	ntidepressants i	n the past?	
Have you failed treatment	with: EC	т т	MS	Psychotherapy?		
Have you participated in:	Inpatient	Psychia	atric Ho	spital or Inte	ensive Outpatie	nt Program?
Are you currently pregnan	t, breastfe	eeding (	or plann	ing to become	pregnant in the	next 6 months?
Failed Antidepressants: The Estimated dates can be given. En Please contact previous provide	xample: W	ellbutrin	/300MG	once daily/Januar		
Name	Dose	e/Freque	ency	Start Date	Stop Date	Reason for Discontinuation
Have you ever been diagno	asad with	the fol	lowing?			
-			iowing:			
Uncontrolled hypertension? O No O Yes						-
Unstable heart disease?	O No	O Yes		Type:		Onset:
Stroke or brain bleed? O No O Yes						Onset:
Aneurysm?	O No	O Yes				Onset:
Arteriovenous Malformation? O No			O Yes	Туре:		Onset:
Interstitial Cystitis? O No O Yes				Prescription: _		Onset:
Moderate to severe liver disease? O No			O Yes	Туре:		Onset:
Moderate to severe kidney disease? O No			O Yes	Туре:		Onset:
Psychosis?	O No	O Yes				Onset:
Schizophrenia?	O No	O Yes				Onset:
Bipolar Mania?	O No	O Yes				Onset:
A reaction to ketamine or	esketamir	ne?	O No	O Yes Sympto	oms:	
Other medical conditions?						

Phone: 405.703.0937 1109 South West 30<sup>th</sup> Court Moore, OK 73160 Fax: 405.676.5802

Do you have Date of Sobri				Disordei	? O No	O Yes	Туре:		Onset:
•	•		lowing substar ease indicate if						ow often you use them
Marijuana:	O No	O Yes	Frequency:			_ Last Use	d:		Prescribed?
Opiates:	O No	O Yes	Frequency:			_ Last Use	d:		Prescribed?
Ketamine:	O No	O Yes	Frequency:			_ Last Use	d:		Prescribed?
Cocaine:	O No	O Yes	Frequency:			_ Last Use	d:		
Alcohol:	O No	O Yes	Frequency:			_Last Use	d:		
Tobacco:	O No	O Yes	Frequency:			_Last Use	d:		
Vape:	O No	O Yes	Frequency:			_ Last Use	d:		
Phencyclidin	e (PCP)		O No	O Yes	Freque	ency:		Last U	sed:
Lysergic Acid	Diethyl	amide (I	LSD) O No	O Yes	Freque	ency:		Last U	sed:
Psilocybin (magic mushrooms) O No O Yes Frequency: Last Used:					sed:				
Are you able after?	to atter	nd treati	ment appointm	nents tw	ice a w	eek for th	e first 4 wee	eks and v	weekly to monthly
Do you have	reliable	transpo	ortation (a drive	er) for ti	reatmer	nt?			
Click <b>Here</b> to	sign a r	elease f	or us to submit	a bene	fits inve	estigation	for Spravato	ο.	
Click here for	га сору	of our p	atient consent	form.					
Click here for	r new pa	itient pa	perwork.						
Click here for	r a Relea	ise of In	formation						





#### **Initial Treatment Patient Instructions**

### **Patient Instructions:**

Phone: 405.703.0937

Treatment with Spravato (esketamine) is dependent on insurance approval. Insurance companies established criteria a patient must meet to initiate and continue this treatment. A patient must have depression that is resistant to treatment (failed traditional antidepressants) and is severe to extreme (measured by the BECK-D scale on the attached form). A score of 31 (scores range from 0-63) or higher is required by most insurance companies. In addition, to continue treatment, a patient must have a BECK-D score of less than 10 or a decrease of 50% from their initial BECK-D score. The higher the initial score, the easier it is to meet the 50% decrease at treatment #6. Answer the questions honestly and thoughtfully.

We want the decision to continue or end treatment to be yours and not based on a depression form.

1109 South West 30<sup>th</sup> Court Moore, OK 73160



# **Beck Depression Inventory**

Patient Name:		Date:	
Score:			
Scoring:	1-10	Normal	
	11-20	Mild depression	
	21-30	Moderate depression	
	31-40	Severe depression Spravato criteria: severe enough for treat	men
	<40	Extreme depression	
1.	0	I do not feel sad.	
	1	I feel sad.	
	2	I am sad all the time and I can't snap out of it.	
	3	I am so sad and unhappy that I can't stand it.	
2.	0	I am not particularly discouraged about the future.	
	1	I feel discouraged about the future.	
	2	I feel I have nothing to look forward to.	
	3	I feel the future is hopeless and that things cannot improve.	
3.	0	I do not feel like a failure.	
	1	I feel I have failed more than the average person.	
	2	As I look back on my life, all I can see is a lot of failures.	
	3	I feel I am as complete failure as a person.	
4.	0	I get as much satisfaction out of things as I used to.	
	1	I don't enjoy things the way I used to.	
	2	I don't get real satisfaction out of anything anymore.	
	3	I am dissatisfied or bored with everything.	
5.	0	I don't feel particularly guilty.	
	1	I feel guilty a good part of the time.	
	2	I feel quite guilty most of the time.	
	3	I feel guilty all of the time.	
6.	0	I don't feel I am being punished.	
	1	I feel I may be punished.	
	2	I expect to be punished.	
	3	I feel I am being punished.	

Phone: 405.703.0937 1109 South West 30<sup>th</sup> Court Moore, OK 73160



# MIND MOOD PAIN

7.	0	I don't feel disappointed in myself.
	1	I am disappointed in myself.
	2	I am disgusted with myself.
	3	I hate myself.
8.	0	I don't feel I am any worse than anybody else.
	1	I am critical of myself for my weaknesses or mistakes.
	2	I blame myself all the time for my faults.
	3	I blame myself for everything bad that happens.
9.	0	I don't have nay thoughts of killing myself.
	1	I have thoughts of killing myself, but I would not carry them out.
	2	I would like to kill myself.
	3	I would kill myself if I had the chance.
10.	0	I don't cry any more than usual.
	1	I cry more now than I used to.
	2	I cry all the time now.
	3	I used to be able to cry, but now I can't cry even though I want to.
11.	0	I am no more irritated by things than I ever was.
	1	I am slightly more irritated now than usual.
	2	I am quite annoyed or irritated a good deal of the time.
	3	I feel irritated all the time.
12.	0	I have not lost interest in other people.
	1	I am less interested in other people than I used to be.
	2	I have lost most of my interest in other people.
	3	I have lost all interest in other people.
13.	0	I make decisions about as well as I ever could.
	1	I put off making decisions more than I used to.
	2	I have greater difficulty in making decisions more than I used to.
	3	I can't make decisions at all anymore.
14.	0	I don't feel that I look any worse than I used to.
	1	I am worried that I am looking old or unattractive.
	2	I feel there are permanent changes in my appearance that make me look unattractive.
	3	I believe that I look ugly.
15.	0	I can work about as well as before.
	1	It takes an extra effort to get started at doing something.
	2	I have to push myself very hard to do anything.

Phone: 405.703.0937 1109 South West 30<sup>th</sup> Court Moore, OK 73160 Fax: 405.676.5802

I can't do any work at all.

3



## MIND MOOD PAIN

16.		
	0	I can sleep as well as usual.
	1	I don't sleep as well as I used to.
	2	I wake up 1-2 hours earlier than usual and find it hard to get back to sleep.
	3	I wake up several hours earlier than I used to and cannot get back to sleep.
17.	0	I don't get more tired than usual.
	1	I get tired more easily than I used to.
	2	I get tired from doing almost anything.
	3	I am too tired to do anything.
18.	0	My appetite is no worse than usual.
	1	My appetite is not as good as it used to be.
	2	My appetite is much worse now.
	3	I have no appetite at all anymore.
19.	0	I haven't lost much weight, if any, lately.
	1	I have lost more than five pounds.
	2	I have lost more than ten pounds.
	3	I have lost more than fifteen pounds.
20.	0	I am no more worried about my health than usual.
	1	I am worried about my physical problems like aches, pains, upset stomach, or constipation.
	2	I am very worried about my physical problems and it's hard to think of anything else.
	3	I am so worried about my physical problems that I cannot think of anything else.
21.	0	I have not noticed any recent change in my interest in sex.
	1	I am less interested in sex than I used to be.
	2	I have almost no interest in sex.
	3	I have lost interest in sex completely.

# **Continued on next page**

Phone: 405.703.0937 1109 South West 30<sup>th</sup> Court Moore, OK 73160 Fax: 405.676.5802



Bipolar Mania is a contraindication to treatment with Spravato or Ketamine. The following questions assess your recent mood to ensure that you are not currently experiencing a manic or hypomanic episode.

Have you experienced or been diagnosed with Bipolar mania?

o Yes

o No

Phone: 405.703.0937

	0	No
If yes, v	when wa	as the last time you were manic?
Mark s	ympton	ns you've experienced in the past 2 weeks.
	0	I feel happier or more cheerful than usual
	0	I feel more self-confident than usual
	0	I need less sleep than usual
	0	I frequently talk more than usual
	0	I have frequently been more active than usual
mental		contraindication to treatment with Spravato or Ketamine. The following questions assess your recen to ensure that you are not currently experiencing an episode of psychosis. Answer yes or no to the tions:
1.	Have y	ou ever been diagnosed with schizophrenia or psychosis? Yes No
2.	Do you	have thoughts others think are bizarre or out of touch with reality? Yes No
3.	Do you	ever hear voices or see things that aren't there? Yes



## MIND MOOD PAIN

4. Do you ever feel paranoid or feel like others are out to get you?

YesNo

5.	•	reel like others are sending you messages or controlling your mind or thoughts?
	0	Yes
	0	No
substa	nce abu	ince abuse or dependence can complicate treatment with Spravato and Ketamine. A history of se increases the risk of abusing Ketamine recreationally. The following questions help us determine if ppropriate for you.
6.	Have y	ou used drugs other than those required for medical reasons?
	0	Yes
	0	No
7.	Have y	ou abused prescription drugs?
	0	Yes
	0	No
8.	Are yo	u always able to stop drinking/using drugs when you want to?
	0	Yes
	0	No
9.	_	ou ever been in trouble because of alcohol/drug abuse?
	0	Yes
	0	No
10.	. Have y	ou ever experienced withdrawal symptoms as a result of heavy alcohol/drug intake?
	0	Yes
	0	No